CEREAL CHEMISTRY

Published by The American Association of Cereal Chemists, Inc.

Scientific Editor :	WELKER G. BECHTEL
Managing Editor	Merrill J. Busch
Business Manager	Raymond J. Tarleton
Assistant Editor	EUNICE R. BROWN

Board of Editors:

KENNETH J. GOERING	LEONARD D. SIBBITT
WM. J. HOOVER	ALLAN K. SMITH
RUTH H. MATTHEWS	DONALD E. SMITH
С. С.	RUSSELL TKACHUR
J. G. PONTE, JR.	FREDERICK VIDAI
SUTTON REDFERN	MICHAEL J. WOLF

Volume 45, Nos. 1-6 January-November, 1968

Minneapolis, Minnesota 1968

Bruce Publishing Co., St. Paul, Minn.

CONTENTS

Number 1, January, 1968 Page
Physicochemical Properties of Protein of Developing and Mature Rice Grain. Eveyln P. Palmiano, Aurea M. Almazan, and Bienvenido O. Juliano
Distribution of Nutrients in the Anatomical Parts of Common Indian Pulses. Shalini Singh, H. D. Singh, and K. C. Sikka
The Proteolytic Enzymes of Barley and Malt. I. Extraction of Peptidyl Peptide Hydrolases (Endopeptidases) with Activity at pH 5 from Malt. H. J. G. ten Hoopen
The Relation of a "Globulin" Component of Wheat Flour to Purothionin. C. C. Nimmo, Mary T. O'Sullivan, and J. E. Bernardin
Effect of Disulfide-Bond Cleavage on Wheat Gliadin Fractions Obtained by Gel Filtration. Harald C. Nielsen, A. C. Beckwith, and J. S. Wall
Fractionation and Characterization of Purothionin. N. Fisher, D. G. Redman, and G. A. H. Elton
Reactive and Total Sulfhydryl and Disulfide Contents of Flours of Different Mixing Properties. C. C. Tsen and W. Bushuk
Note on a Limitation of the Starch-Iodine Blue Test for Milled Rice Amylose. Bienvenido O. Juliano, Artemio V. Cartaño, and Amanda J. Vidal
Studies with Radioactive Tracers. XII. Further Investigations on the Neutral Extracts from Bread Baked with Sucrose-4°C. C. C. Lee and Y. H. Liau
Studies with Radioactive Tracers. XIII. The Fate of Starch-4C during Breadmaking. C. C. Lee and Y. H. Liau
Some Properties of Dough and Gluten in D2O. R. Tkachuk and I. Hlynka 80
Wheat Starches. II. Effect of Polar and Nonpolar Lipid Fractions on Pasting Characteristics. D. G. Medcalf, V. L. Youngs, and K. A. Gilles
Addendum
Editorial Policy and Suggestions to Authors
Number 2, March, 1968
Memorial to Clyde H. Bailey i
The Oxidation-Reduction Enzymes of Wheat. IV. Qualitative and Quantitative Investigations of the Oxidases. G. R. Honold and M. A. Stahmann
A Micro Centrifuge to Determine Water-Retention Properties of Wheat Flour. H. Miller
Beta-Glucosyl-Transferase from Germinated Barley. W. W. Luchsinger and A. W. Richards
An Examination of the Brown Pigments from Barley Leaves. K. A. Claussen and E. H. Pepper
Assessing Wheat Quality with Breads Prepared by Two Formulations. Ruth H. Matthews, C. C. Fifield, and T. F. Hartsing

The Transition from Helix to Coil at pH 12 for Amylose, Amylopectin, and Glycogen. S. R. Erlander, R. M. Purvinas, and H. L. Griffin
Gas Chromatography of Carbohydrates. T. Cayle, F. Viebrock, and Joan Schiaffino 154
Electron Microscopy of Unmodified and Acid-Modified Corn Starches. W. C. Mussulman and J. A. Wagoner
Automatic Integration and Computation of Amino Acid Analyses. J. F. Cavins and M. Friedman
Enzymatic Determination of Starch in Wheat Fractions. J. R. Donelson and W. T. Yamazaki
Action of Chlorine on Wheat Flour Polysaccharides. R. L. Whistler and R. E. Pyler 183
Starch-Gel Electrophoresis of Soybean Globulins. G. Puski and P. Melnychyn 192
Erratum: Vol. 43, p. 207 (1966)
Editorial Policy and Suggestions to Authors 202
Name and the same
Number 3, May, 1968
Internal Structure of 7S and 11S Globulin Molecules in Soybean Proteins. Danji Fukushima
Composition and Endosperm Structure of Developing and Mature Rice Kernel. Aurora R. del Rosario, Vivian P. Briones, Amanda J. Vidal, and Bienvenido O. Juliano
Factors in Oats That Could Be Mistaken for Aflatoxin. Odette L. Shotwell, Gail M. Shannon, Marion L. Goulden, Melba S. Milburn, and Harlow H. Hall 236
Gliadin Proteins from Different Varieties of Wheats. F. R. Huebner and J. A. Rothfus
Nutritive Value and Dietary Properties of Soy Protein Concentrates. M. D. Wilding, D. E. Alden, and E. E. Rice
Effect of Papain on Amylograph Viscosity of Flour. T. Yasunaga, W. Bushuk, and G. N. Irvine
Gelatinization of Starch during Bread-Baking. T. Yasunaga, W. Bushuk, and G. N. Irvine
A Note on the Influence of High-Vacuum Drying on the Starch of Canadian Wheat Flours. P. C. Williams and I. Hlynka
A Note on the Formation of Free Radicals in Dough during Mixing. B. Dronzek and W. Bushuk
A Note Comparing Effects on Dough Mixing of Thioctic Acid (Lipoic Acid) and Yeast-Fermented Flour Extracts. L. K. Dahle and P. Pinke
Errata (Vol. 45, p. iii and p. 177)
Editorial Policy and Suggestions to Authors
Number 4, July, 1968

Heat-Processing of Wheat Germ Meal and Its Effect on Utilization and Protein Quality for the Growing Chick: Toasting and Autoclaving. E. T. Moran, Jr., J. D. Summers, and E. J. Bass						
Modification of the Maes Continuous-Extraction Process for Fractionation of Hard Red Winter Wheat Flour Proteins. Paul J. Mattern, Ali Salem, and George H. Volkmer						
Function of the Starch Granule in the Formation of Layer Cake Structure. N. B. Howard, D. H. Hughes, and R. G. K. Strobel						
Enzymolysis of Pentosans of Wheat Flour. K. Kulp						
Changes in Physicochemical Properties of Starch of Developing Rice Grain. Vivian P. Briones, Ligaya G. Magbanua, and Bienvenido O. Juliano	351					
An Instrument for Objective Measurement of Degree of Milling and Color of Milled Rice. Raymond A. Stermer	358					
Environmental Conditions and Stress Cracks in Milled Rice. Raymond A. Stermer	365					
Nutritive Value of Oat Protein. I. Varietal Differences as Measured by Amino Acid Analysis and Rat Growth Responses. H. H. Hischke, Jr., G. C. Potter, and W. R. Graham, Jr.	374					
Erratum (Vol. 45, page 203, Fukushima)	378					
NUMBER 5, SEPTEMBER, 1968						
Microbiological and Enzymatic Evaluation of Sesame Protein. Ana María Villegas, Avelina González, and Roberto Calderón	379					
Association of Synthetic Anionic Polymers with Gluten. K. Tanaka, Kazuyo Furu-kawa, Reiko Kuroiwa, and H. Matsumoto	386					
Chemical and Physical Properties of a 7S Protein in Soybean Globulins. 1. Koshiyama	394					
Chromatographic and Sedimentation Behavior of a Purified 7S Protein in Soybean Globulins. I. Koshiyama	405					
Chromatography of Proteins from Wheat Gluten on Polyacrylamide Gel. M. J. A. Crow and J. A. Rothfus	413					
The Constitution of a Starch-Galactose Codextrin. M. H. Fischer, Y. Ghali, and F. Smith						
Determination of Lysine on the Automated Amino Acid Analyzer by a Triplicate-Sample Method. Eva Villegas, C. E. McDonald, and K. A. Gilles	432					
Amino Acid Composition of Selected High-Protein Wheats. P. J. Mattern, Ali Salem, V. A. Johnson, and J. W. Schmidt	437					
The Release of Hydrogen Sulfide during Dough Mixing. D. K. Mecham and Maura M. Bean	445					
Chemistry of Lipids in Processing and Technology of Pasta Products. G. Fabriani, C. Lintas, and G. B. Quaglia	454					
Some Effects of Solvent Extraction on Cooking Characteristics of Spaghetti. L. K. Dahle and H. L. Muenchow	464					
Effect of Cobalt-60 Gamma-Irradiation on the Utilization of Energy, Protein, and Phosphorus from Wheat Bran by the Chicken. E. T. Moran, Jr., J. D. Summers and H. S. Rayley	460					

vi

Glutathione in Wheat Flour. II. An Enzymatic Determination. Toyo Kuninori, Michiko Yagi, D. Yoshino, and H. Matsumoto	480
Disulfide-Sulfhydryl Interchange Studies of Wheat Flour. II. Reaction of Gluta thione. Toyo Kuninori and Betty Sullivan	486
A Note on Varietal and Environmental Variations in Falling Number Values of Flour. D. G. Medcalf, E. E. Tombetta, K. A. Gilles, and L. D. Sibbitt	496
A Note on Scanning Electron Microscopy of Flours and Doughs. Catherine Aranyi and E. J. Hawrylewicz	
Effect of Gamma-Irradiation on the Microflora of Rice. Hiroshi lizuka and Hitoshi Ito	503
Low-Temperature Anaerobic Extraction of Free and Bound Lipid from Wheat Flour. Mary E. McKillican, R. P. A. Sims, F. B. Johnston, and J. C. Mes	512
Protein Concentrates by Dry Milling of Wheat Millfeeds. II. Compositional Aspects. David A. Fellers, Allan D. Shepherd, Nancy J. Bellard, Albert P. Mossman, Philip H. Johnston, and Theodore Wasserman	520
Editorial Policy and Suggestions to Authors	530
Number 6, November, 1968	
Oxidation of Sulfhydryl Groups of Flour by Bromate Under Various Conditions and during the Breadmaking Process. C. C. Tsen	531
Comparison of Chemical Composition and Properties between Hard Red Spring and Durum Wheat Endosperm Pentosans. D. G. Medcalf, B. L. D'Appolonia, and K. A. Gilles	
Structural Characterization of a Pentosan from the Water-Insoluble Portion of Durum Wheat Endosperm. D. G. Medcalf and K. A. Gilles	
Effect of Heat-Treatment on the Metabolizable Energy Value of Wheat Germ Meal and Other Wheat Milling By-Products. H. S. Bayley, J. D. Summers, and S. J. Slinger	557
Preparation and Properties of Various Legume Starches. Thomas J. Schoch and Eileen C. Maywald	564
Reduction in Aflatoxin Contamination of Rice by Milling Procedures. H. W. Schroeder, R. A. Boller, and Hugo Hein, Jr.	574
Intracellular Distribution of Tocopherol in Soybean Cotyledons. Mamoru Komoda, Setsuro Matsushita, and Ichiro Harada	581
The Constitution of an Amylopectin-Xylose Codextrin. Y. Ghali, Bertha A. Lewis, and F. Smith	589
Quantitative Measurement of Light Transmission through Corn Endosperm. A. V. Paez, J. L. Helm, and M. S. Zuber	595
Carotenoids of Wheat Flour: Their Identification and Composition. M. Lepage and R. P. A. Sims	600
A Basis for Measuring the Intensity of Wheat Flour Pigments. R. P. A. Sims and Marius Lepage	605
Influence of Method of Pelleting on Utilization of Energy from Corn, Wheat Shorts, and Bran. J. D. Summers, H. U. Bentley, and S. J. Slinger	612
Analysis of Free and Esterified Sterols in Wheat Flour and Semolina. C. P. Berry, V. L. Youngs, and K. A. Gilles	616
Studies with Radioactive Tracers. XIV. A Note on the Disulfide-Sulfhydryl Interchange in Doughs Made with **S-Labeled Flour. C. C. Lee and Tzen-Son Lai	
Erratum (Vol. 45, p. 581, Komoda et al.)	
Editorial Policy	
Author and Subject Indexes for Volume 45	631

INDEX TO VOLUME XLV

AUTHORS

Pa	age Pa	age
Alden, D. E. (see M. D. Wilding) 2 Almazan, Aurea M. (see Evelyn P. Palmiano)	254 and P. Pinke. A note com- paring effects on dough mixing of thioctic acid (lipoic acid) and yeast-	
Aranyi, Catherine, and E. J. Hawryle-	fermented flour extracts	287
wicz. A note on scanning electron microscopy of flours and doughs 5	Del Rosario, Aurora R., Vivian P. Bri-	539
Bass, E. J. (see E. T. Moran, Jr.) 30 Bayley, H. S., J. D. Summers, and S. J. Slinger. Effect of heat-treatment	ones, Amanda J. Vidal, and B. O. Juliano. Composition and endosperm structure of developing and mature	
on the metabolizable energy value of wheat germ meal and other	Donelson, J. R., and W. T. Yamazaki.	225
wheat milling by-products	160	177 289
Bean, Maura M. (see D. K. Mecham) 4-	37 Dronzek, B., and W. Bushuk. A note on the formation of free radicals in	
Bentley, H. U. (see J. D. Summers) 6 Bernardin, J. E. (see C. C. Nimmo)	dough during mixing	286
Berry, C. P., V. L. Youngs, and K. A. Gilles. Analysis of free and esterified sterols in wheat flour	Elton, G. A. H. (see N. Fisher) Erlander, S. R., R. M. Purvinas, and	48
Boller, R. A. (see H. W. Schroeder) 5' Brekke, O. L. Corn dry-milling: stress		140
crack formation in tempering of low-moisture corn, and effect on de- germinator performance	Fabriani, G., C. Lintas, and G. B. Quaglia. Chemistry of lipids in proc-	
Briones, Vivian P., Ligaya G. Mag- banua, and B. O. Juliano. Changes in physicochemical properties of starch in developing rice grain 33	Fellers, D. A., A. D. Shepherd, Nancy J. Bellard, A. P. Mossman, P. H.	454
Bushuk, W. (see B. Dronzek)	86 tem concentrates by dry milling of	
(see C. C. Tsen)	Fischer, M. H., Y. Ghali, and F.	520 133
Cavins, J. F., and M. Friedman. Au-	79 Smith. The constitution of a starch- galactose codextrin	121
tomatic integration and computa- tion of amino acid analyses	72 H. Elton. Fractionation and char- acterization of purothionin	48
Cayle, T., F. Viebrock, and Joan Schiaffino. Gas chromatography of	Friedman, M. (see J. F. Cavins) 1 Fukushima, D. Internal structure of	72
Claussen, K. A., and E. H. Pepper. An examination of the brown pigments	soybean proteins	378
Crow, M. J. A., and J. A. Rothfus. Chromatography of proteins from		
wheat gluten on polyacrylamide gel 41	13 Gilles, K. A. (see C. P. Berry)	
Dahle, L. K., and H. L. Muenchow. Some effects of solvent extraction on cooking characteristics of spa-	Ghali, Y., Bertha A. Lewis, and F. Smith. The constitution of an amy-	32
ghetti		89

	(see M. H. Fischer)		Koshiyama, I. Chemical and physical	
	González, Avelina (see Ana María Villegas)	379	properties of a 7S protein in soy- bean globulins	394
	Coulden Marion I. (see Odette I.		. Chromatographic and sedi-	331
	Shotwell) Graham, W. R., Jr. (see H. H. Hisch-	236	mentation behavior of a purified 7S	
	Graham, W. R., Jr. (see H. H. Hisch-	974	protein in soybean globulins	405
	ke, Jr.)	3/4	Kulp, K. Enzymolysis of pentosans of wheat flour	339
	Guss, P. L. (et al.). Addendum (Ce-		Kuninori, Toyo, and Betty Sullivan.	333
	real Chem. 44: 607, 1967)	95	Disulfide-sulfhydryl interchange	
			studies of wheat flour. II. Reaction	100
	Hall, H. H. (see Odette L. Shotwell)	236	of glutathione	486
	Harada, I. (see M. Komoda)		and H. Matsumoto. Glutathione in	
	Hartsing, T. F. (see Ruth H. Mat-	100	wheat flour. II. An enzymatic de-	
	Hawrylewicz, E. J. (see Catherine	133	termination	480
	Aranvi)	500	Kuroiwa, Reiko (see K. Tanaka)	380
	Hein, H., Ir. (see H. W. Schroeder)	574		
	Helm, J. L. (see A. V. Paez)	595	Lai, T-S. (see C. C. Lee)	627
	Hischke, H. H., Jr., G. C. Potter, and		Lee, C. C., and T-S. Lai. Studies with radioactive tracers. XIV. A note on	
	W. R. Graham, Jr. Nutritive value of oat protein. I. Varietal differ-		the disulfide-sulfhydryl interchange	
	ences as measured by amino acid		in doughs made with 35S-labeled	
	analysis and rat growth responses		flour	627
	Hlynka, I. (see R. Tkachuk)	80 280	with radioactive tracers. XII. Fur-	
	Honold, G. R., and M. A. Stahmann.		ther investigations on the neutral	
	The oxidation-reduction enzymes of		extracts from bread baked with su-	
	wheat. IV. Qualitative and quanti-	99	crose-14C	66
	tative investigations of the oxidases Howard, N. B., D. H. Hughes, and	99	radioactive tracers. XIII. The fate	
	R. G. K. Strobel. Function of the		of starch-14C during breadmaking	73
	starch granule in the formation of	200	Lepage, M., and R. P. A. Sims. Caro-	
	layer cake structure	329	tenoids of wheat flour: their iden- tification and composition	600
	Gliadin proteins from different va-		(see R. P. A. Sims)	605
	rieties of wheats		Lewis, Bertha A. (see Y. Ghali)	589
	Hughes, D. H. (see N. B. Howard)	329	Liau, Y. H. (see C. C. Lee)66	, 73
			Lintas, C. (see G. Fabriani) Luchsinger, W. W., and A. W. Rich-	434
	Iizuka, H., and Ito, H. Effect of		ards. Beta-glucosyl-transferase from	
	gamma-irradiation on the micro-	503	germinated barley	115
,	flora of rice			
	Ito, H. (see H. Iizuka)		Magbanua, Ligaya G. (see Vivian P.	
,	200, 221 (000 221 220000)	-	Briones)	351
	Johnson, V. A. (see P. J. Mattern)	437	Matsumoto, H. (see Toyo Kuninori)	
	Johnston, F. B. (see Mary E. McKilli-		Matsushita, S. (see M. Komoda)	581
•	can)	512	Mattern, P. J., A. Salem, V. A. John-	
	Johnston, P. H. (see D. A. Fellers)	520	son, and J. W. Schmidt. Amino acid	
	Juliano, B. O., A. V. Cartaño, and Amanda J. Vidal. Note on a limita-		composition of selected high-protein wheats	437
	Amanda J. Vidal. Note on a limita-		, and G. H. Volk-	107
	tion of the starch-iodine blue test for milled-rice amylose	63	mer. Modification of the Maes con-	
	(see Vivian P. Briones)	351	tinuous-extraction process for frac- tionation of HRW wheat flour pro-	
	(see Aurora R. del Rosario)	225	teins	319
•	(see Evelyn P. Palmiano)	1	Matthews, Ruth H., C. C. Fifield, and	
			T. F. Hartsing. Assessing wheat	
1	Komoda, M., S. Matsushita, and I. Harada. Intracellular distribution		quality with breads prepared by	133
	of tocopherol in soybean cotyle-		two formulations	
	dons	581	McDonald, C. E. (see Eva Villegas)	432

McKillican, Mary E., R. P. A. Sims,		Paez, A. V., J. L. Helm, and M. S.	
F. B. Johnston, and J. C. Mes. Low-		Zuber. Quantitative measurement	
temperature anaerobic extraction of		of light transmission through corn	
free and bound lipid from wheat		endosperm	595
flour		Palmiano, Evelyn P., Aurea M. Alma-	
Mecham, D. K., and Maura M. Bean.		zan, and B. O. Juliano. Physico-	
The release of hydrogen sulfide		chemical properties of protein of de-	
during dough mixing	445	veloping and mature rice grain	1
Medcalf, D. G., B. L. D'Appolonia,		Pepper, E. H. (see K. A. Claussen)	124
and K. A. Gilles. Comparison of		Pinke, P. (see L. K. Dahle)	287
chemical composition and properties		Potter, G. C. (see H. H. Hischke, Jr.)	374
between HRS and durum wheat en-		Purvinas, R. M. (see S. R. Erlander) Puski, G., and P. Melnychyn. Starch-	140
dosperm pentosans	539	Puski, G., and P. Melnychyn, Starch-	
, and K. A. Gilles. Structural		gel electrophoresis of soybean glob-	
characterization of a pentosan from		ulins	192
the water-insoluble portion of		Pyler, R. E. (see R. L. Whistler)	
durum wheat endosperm	550	Tyler, R. D. (300 R. D. Whistier)	100
, E. E. Tombetta, K. A.	330		
Gilles, and L. D. Sibbitt. A note on		Quaglia, G. B. (see G. Fabriani)	454
varietal and environmental varia-		2449-14, 0, 2, (000 0, 2401-141)	
		•	
tions in falling number values of	100	Redman, D. G. (see N. Fisher)	48
flour	496		254
,V. L. Youngs, and K. A.		Richards, A. W. (see W. W. Luch-	
Gilles. Wheat starches. II. Effect		singer)	115
of polar and nonpolar lipid fractions		Rothfus, J. A. (see M. J. A. Crow)	
on pasting characteristics	88	(see F. R. Huebner)	
Melnychyn, P. (see G. Puski)	192	(see 1. 10. Huchiel)	
Mes, J. C. (see Mary E. McKillican)	512		
Milburn, Melba S. (see Odette L.		Salem, A. (see P. J. Mattern)319,	437
Shotwell)	236	Schiaffino, Joan (see T. Cayle)	154
Miller, H. A micro centrifuge to de-		Schmidt, J. W. (see P. J. Mattern)	437
termine water-retention properties		Schoch, T. J., and Eileen C. Maywald.	
of wheat flour	109	preparation and properties of vari-	
		ous legume starches	564
Moran, E T., Jr., J. D. Summers, and		Schroeder, H. W., R. A. Boller, and	001
E. J. Bass. Heat-processing of wheat		H. Hein, Jr. Reduction in aflatoxin	
germ meal and its effect on utiliza-		contamination of rice by milling	
tion and protein quality for the			574
growing chick: Toasting and auto-	-04	procedures	JIT
claving	304	Shannon, Gail M. (see Odette L.	226
,, and H. S. Bay-		Shotwell)	230
ley. Effect of cobalt-60 gamma-		Shepherd, A. D. (see D. A. Fellers)	320
irradiation on the utilization of en-		Shotwell, Odette L., Gail M. Shannon,	
ergy, protein, and phosphorus from		Marion R. Goulden, Melba S. Mil-	
wheat bran by the chicken		burn, and H. H. Hall. Factors in	
Mossman, A. P. (see D. A. Fellers)	520	oats that could be mistaken for	
		aflatoxin	236
Muenchow, H. L. (see L. K. Dahle)	404	Sibbitt, L. D. (see D. G. Medcalf)	496
Mussulman, W. C., and J. A. Wag-		Sikka, K. C. (see S. Singh)	13
oner. Electron microscopy of un-		Sims, R. P. A., and M. Lepage. A	
modified and acid-modified corn		basis for measuring the intensity of	
starches	162	wheat flour pigments	605
		(see M. Lepage)	
		(see Mary E. McKillican)	
Nielsen, H. C., A. C. Beckwith, and		Singh, H. D. (see S. Singh)	13
J. S. Wall. Effect of disulfide-bond			
cleavage on wheat gliadin fractions		Singh, S., H. D. Singh, and K. C.	
obtained by gel filtration	37	Sikka. Distribution of nutrients in	
Nimmo, C. C., Mary T. O'Sullivan,		the anatomical parts of common	10
and J. E. Bernardin. The relation		Indian pulses	13
of a "globulin" component of wheat		Slinger, S. J. (see H. S. Bayley)	557
flour to purothionin	28	(see J. D. Summers)	
nout to purotinonin	40		
		Smith, F. (see M. H. Fischer)	
O'Sullivan, Mary T. (see C. C. Nim-		(see Y. Ghali)	589
mo)	28	Stahmann, M. A. (see G. R. Honold)	99
/	_0	, , , , , ,	

Stermer, R. A. An instrument for objective measurement of degree of milling and color of milled rice 358	Villegas, Ana María, Avelina Gon- zález, and R. Calderón. Microbio- logical and enzymatic evaluation of
	sesame protein
and stress cracks in milled rice 365	Villegas, Eva, C. E. McDonald, and
Strobel, R. G. K. (see N. B. Howard) 329	K. A. Gilles. Determination of ly-
Sullivan, Betty (see Toyo Kuninori) 486	
Summers, J. D., H. U. Bentley, and S.	analyzer by a triplicate-sample
J. Slinger. Influence of method of	Wolkmer, G. H. (see P. J. Mattern) 319
pelleting on the utilization of energy from corn, wheat shorts, and bran 612	
(see H. S. Bayley)	
(see H. S. Bayley)	Wagoner, J. A. (see W. C. Mussul-
(, 3 , 3 , ,	102
	Wall, J. S. (see H. C. Nielsen) 37
Tanaka, K., K. Furukawa, Reiko Ku-	Wasserman, T. (see D. A. Fellers) 520 Whistler, R. L., and R. E. Pyler. Ac-
roiwa, and H. Matsumoto. Associa-	tion of chlorine on wheat flour
tion of synthetic anionic polymers	1
with gluten	Wilding, M. D., D. E. Alden, and E.
enzymes of barley and malt. I. Ex-	E. Rice. Nutritive value and dietary
traction of peptidyl peptide hy-	properties of soy protein concen-
drolases (endopeptidases) with ac-	trates 254
tivity at pH 5 from malt 19	Williams, P. C., and I. Hlynka. A note
Tkachuk, R. Erratum (43: 207; 1966) 201	on the influence of high-vacuum
, and I. Hlynka. Some prop-	drying on the starch of Canadian
erties of dough and gluten in D2O 80	wheat flours 280
Tombetta, E. E. (see D. G. Med-	
calf)	
Tsen, C. C. Oxidation of sulfhydryl	Yamazaki, W. T. (see J. R. Donel-
groups of flour by bromate under	son)
various conditions and during the	rasunaga, I., W. Bushuk, and G. N.
breadmaking process	Irvine. Effect of papain on amylo-
and total sulfhydryl and disulfide	
contents of flours of different mix-	Gelatinization of starch during
ing properties 58	bread-baking 269
0.1	bread-baking
Vidal, Amanda J. (see Aurora R. del	Youngs, V. L. (see C. P. Berry) 616
Rosario)	() () () () ()
(see B. O. Juliano) 63	
Viebrock, F. (see T. Cayle) 154	
rebrock, 1. (see 1. Gayle)	Educi, M. S. (See M. V. Lucz)
SUB	IECTS
Page	Page
Al-	Albumin globulin in vice (brown):
Absorption, flour; microcentrifuge for	Albumin-globulin, in rice (brown); showing changes in developing
detn. of (Miller) 109	and mature grain (Palmiano,
Acid(s)	Almazan, Juliano) 1
Amino, see Amino acids	Amino acids
Lipoic (thioctic); effect on dough mixing (Dahle, Pinke) 287	Analyses of, automatic integration
	and computation (Cavins, Fried-
Addendum	man) 162
Vol. 44, p. 607 (1967) (Guss et al.) 95	In flour, "globulin" component of
Aflatoxins	(purothionin-related) (Nimmo,
In oats; factors possibly mistaken	O'Sullivan, Bernardin)
for (Shotwell, Shannon, Goulden, Milburn, Hall)	Lysine; detn. on automated analyz-
In rice; contamination reduced by	er (Villegas, McDonald, Gilles) 432 In oats; analysis for nutritive value
milling procedures (Schroeder,	of protein (Hischke, Potter,
Boller, Hein) 574	Graham)

In purothionin (flour) (Fisher,	Bleaching agents, see Bleaching of	
Redman, Elton)	Bleaching of flour, nature of reaction	
development (Palmiano, Alma-	(Whistler, Pyler)	
zan, Juliano)	1 Bran	100
In 7S soybean proteins (Koshiya-	Effect on, of cobalt-60 gamma-ir-	
ma)394,		
In 7S and 11S soybean proteins	(Moran, Summers, Bayley)	469
	203 Energy (metabolizable) from; effect	
In wheat; analyses of gammas from	of steam-processing on use (Sum-	
5 varieties (Huebner, Rothfus)	mers, Bentley, Slinger)	
In wheat, high-protein (Mattern,	Starch in, enzymatic detn. (Donel-	
Salem, Johnson, Schmidt)	son, Yamazaki)	177
In wheat germ meal, heat-proc-	Bread and breadmaking	
essed (Moran, Summers, Bass)	304 Effects on dough mixing of thioctic (lipoic) acid vs. yeast-fermented	
In wheat protein concentrate (Fel-	flour exts (Dable Pinke)	287
lers, Shepherd, Bellard, Moss- man, Johnston, Wasserman)	flour exts. (Dahle, Pinke) 520 Fate of starch-14-C during proc-	20,
In wheat protein fractions (Mat-	ess (Lee, Liau)	73
tern, Salem, Volkmer)		
Amylograph studies	during mixing (Dronzek, Bushuk)	286
For effect of lipid fractions on	Gelatinization of starch during	
starch pasting (Medcalf, Youngs,	(Yasunaga, Bushuk, Irvine)	269
Gilles)	88 Nutritive value of flour and of soy	
Effect of papain on flour viscosity	protein concentrates (Wilding,	07.
(Yasunaga, Bushuk, Irvine)	Alden, Rice)	254
Gelatinization of starch during	SH groups of flour oxidized by bro-	521
bread-baking (Yasunaga, Bush- uk, Irvine)	mate (Tsen)	331
Amylose, see Starch, Corn, amylose	exts. from (Lee, Liau)	66
fraction	For wheat quality assessment (Mat-	-
Apparatus	thews, Fifield, Hartsing)	133
Environmental chamber, for milled-	Browning reaction, in heat-processing	
rice study (stress cracks) (Ster-	of wheat germ meal, vs. feed ef-	
mer)	ficiency for chicks (Moran, Sum-	
For measuring light transmission	mers, Bass)	304
thru corn endosperm (Paez,	.00	
Helm, Zuber)	Cajan pea; nutrients in anatomical	
Micro centrifuge for detg. water-	parts (Singh, Singh, Sikka)	13
retention properties of flour (Miller)	Og Cake and cakemaking; starch cake,	
Rice Ratiospect, for measuring de-	function of granule in structure	
gree of milling of rice, and color	formation (Howard, Hughes,	
(Stermer)	, ,	329
Aspergillus flavus, see Molds	Carbohydrates, general; chromatog-	
Automatic integration of amino acid	raphy of (Cayle, Viebrock,	
analyses (Cavins, Friedman) 1	Schiaffino)	154
	Carotenoids, of flour	
Bailey, Clyde H.; Memorial(2)	Identification and composition (Le-	600
Erratum		600
Baked products; Baking subjects, see	(Sims, Lepage)	605
Bread and breadmaking; Cake	Cleavage of SS bonds; effect of, on	000
and cakemaking	gliadin fractions from gel filtra-	
Barley (see also Malt)	tion (Nielsen, Beckwith, Wall)	37
Germinated, glucosyltransferase	Chlorine, see under Flour improvers	
from (Luchsinger, Richards) 1	Chromatography	
Pigments (brown) from leaves	For affatoving (nossible) in cate	
(Claussen, Pepper) 1	(Shotwell, Shannon, Goulden,	
Proteases of (endopeptidases);	Milburn Hall)	236
extn. from malt (Ten Hoopen)	Of carbohydrates (Cayle, Vie-	
Beans, navy, white, starch of; prepn.,	brock, Schiaffino)	154
properties (Schoch, Maywald) 5	For exts. from bread baked with	
Biological value, see Nutritive value	sucrose-14-C (Lee, Liau)	66

	For fate of starch-14-C during		Mixing of	
	breadmaking (Lee, Liau)	73	effects on, of thioctic (lipoic)	
	For gliadins in 11 wheat varieties		acid vs. yeast-fermented flour	00=
	(Huebner, Rothfus)	242	exts. (Dahle, Pinke)	287
	For lipids in pasta processing (Fabriani Lintas Quaglia)	454	formation of free radicals during	206
	riani, Lintas, Quaglia) Of protein (7S, purified) in soy-	737	(Dronzek, Bushuk) hydrogen sulfide released (Me-	200
	bean globulins (Koshiyama)	405	cham, Bean)	445
	Of proteins from wheat gluten		Physical tests, see Extensigraph,	
	(polyacrylamide gel) (Crow,		Farinograph studies	
	Rothfus)	413	Rheology of; effect of synthetic	
	For sterol analysis in flour and		anionic polymers (Tanaka,	
	semolina (Berry, Youngs, Gilles)	616	Furukawa, Kuroiwa, Matsu-	
	odextrins, see Dextrins		moto)	386
Co	olor		35-S-labeled flour; SS/SH inter-	
	Of flour		change in (Lee, Lai)	627
	carotenoids of, identification and	600	Drying of flour, vacuum-; effect on	
	composition (Lepage, Sims)	605	flour starch (Williams, Hlynka)	280
	by extn. method (Sims, Lepage) Of rice; instrument for measuring	003		
	(Stermer)	358		
Co	orn	330	Electron microscopy	
	Energy (metabolizable) from; ef-		Of corn starch granules (Mussul-	
	fect on, of pelleting method		man, Wagoner)	162
	(Summers, Bentley, Slinger)	612	Of flours and doughs (Aranyi,	
	Endosperm of; light transmission		Hawrylewicz)	500
	thru; measurement (Paez, Helm,		Electrophoresis	
	Zuber)	595	For characterization of purothionin	
	Stress crack formation during tem-		(Fisher, Redman, Elton)	48
	pering for dry-milling (deger-		For effect of SS-bond cleavage on	
	mination) (Brekke)	291	gliadin fractions (Nielsen, Beck-	
	Syrup, carbohydrates in; by gas chromatography (Cayle, Vie-		with, Wall)	37
	chromatography (Cayle, Vie-	154	For fractionation of HRW wheat	
	brock, Schiaffino)	154	flour proteins (Mattern, Salem,	010
Cio	wpea; nutrients in anatomical parts	19	Volkmer)	319
	(Singh, Singh, Sikka)	13	For gliadins in 11 wheat varieties	949
			(Huebner, Rothfus)	242
Da	maged starch, see Starch, Damaged		For "globulin" component of flour (purothionin-related) (Nimmo,	
	uterium oxide, substituted for H2O		O'Sullivan, Bernardin)	28
	in bread (Tkachuk, Hlynka)	80	For oxidation-reduction enzyme as-	
	xtrins		says, wheat (Honold, Stahmann)	99
	Amylopectin-xylose codextrin; con-		Of soybean globulins (Puski, Mel-	
	stitution (Ghali, Lewis, Smith)	589	nychyn)	192
-	Starch-galactose codextrin; consti-		Energy, metabolizable	
D:	tution (Fischer, Ghali, Smith)	421	In bran, gamma-irradiated; utiliza-	
Di	(Tean Bushuk)	58	tion study with chickens (Moran,	
Dia	(Tsen, Bushuk)sulfide bond cleavage; effect of, on	30	Summers, Bayley)	469
Di	gliadin fractions from gel filtra-		In corn, wheat shorts, bran; effect	
	tion (Nielsen, Beckwith, Wall)	37	of pelleting method on use (Sum-	
Dis	sulfide-SH exchange (or inter-		mers, Bentley, Slinger)	612
	change), see Sulfhydryl-disulfide		Of millfeeds; effect of heat-treat-	
	exchange		ment (Bayley, Summers, Slinger)	33/
Di	sulfide-sulfhydryl interchange		Enzymatic determination	
	studies of wheat flour (a series)		Of glutathione in flour (Kuninori,	400
1	I (Kuninori, Sullivan)	486	Yagi, Yoshino, Matsumoto)	480
Do	ugh(s) (see also Extensigraph, Far-		Of starch in wheat fractions (Don-	177
	inograph studies)		elson, Yamazaki)	1//
1	n D2O; properties (Tkachuk,		Enzymes, general	
	Hlynka)	80	Enzymolysis of flour pentosans	220
I	mprovers, see under Flour improv-		(Kulp)	339
	ers		Evaluation of sesame protein (Vil-	370
1	Microscopy of (electron, scanning)	-00	legas, González, Calderón)	3/3
	(Aranyi, Hawrylewicz)	500	Enzymes, proteolytic, see Proteases	

Enzymes, specific; see main entries for Glucosyltransferase Oxidases	(1)	Falling number values (HRS) (Medcalf, Tombetta, Gilles, Sib-	
Proteases (hydrolases, endopepti- dases) Papain	1.71	bitt) Gelatinization of starch during bread-baking (HRS) (Yasunaga, Bushuk, Irvine)	,
Endopeptidase(s), see Protease(s) Errata		"Globulin" component, vs. puro- thionin (HRS, soft) (Nimmo,	
Vol. 45(2): iii (Memorial to C. H. Bailey) Vol. 45, p. 177 (Donelson, Yama-	289	O'Sullivan, Bernardin)	
Vol. 45, p. 203 (Fukushima) Vol. 43, p. 207 (Tkachuk)	378	Yoshino, Matsumoto) Glutathione (radioactive) reaction in (S-W blends) (Kuninori, Sul-	
Experimental milling, see Milling, ex- perimental		livan) Gluten proteins; chromatography on	
Extensigraph studies With D ₂ O substituted for H ₂ O		(Crow, Rothfus)	413
(Tkachuk, Hlynka) Effect of synthetic anionic polymers		Lipid extn. from (HRS, SW, dur- um) (McKillican, Sims, Johns-	
on dough (Tanaka, Furukawa, Kuroiwa, Matsumoto)	386	Microscopy of; electron, scanning (HRW) (Aranyi, Hawrylewicz)	
Falling number test, flour; varietal and		Polysaccharides of; action of chlorine on (Whistler, Pyler)	
environmental variations in values		Proteins of; continuous solubiliza-	103
(Medcalf, Tombetta, Gilles, Sib- bitt)		(Mattern, Salem, Volkmer)	319
Farinograph studies With D ₂ O substituted for H ₂ O (Tkachuk, Hlynka)	- 00	Purothionin in; fractionation & characterization (soft, U.U.)	40
Effect of synthetic anionic polymer's		(Fisher, Redman, Elton)	48
on dough (Tanaka, Furukawa, Kuroiwa, Matsumoto)	386	sans (commercial) (Kulp) Starch in, enzymatic detn. (Donel-	
vs. yeast-fermented flour exts.		son, Yamazaki) Starch damage in, by vacuum-dry-	1//
(Dahle, Pinke)SH and SS in flour; total and reac-		ing and wetting (Canadian) (Williams, Hlynka)	280
tive (Tsen, Bushuk) Feeds, see Millfeeds	58	Sterols in (free and esterified); analysis (HRS, HRW, soft, club,	
Fat(s), see Lipids; Sterols		durum, Italian) (Berry, Youngs,	
Flour, wheat; class(es) of wheat, if		Gilles)	616
given, indicated at end of entry		trifuge (Miller)	109
Absorption, detd. with micro centri-	100	trifuge (Miller)	
fuge (Miller)	109	doughs from (HRS) (Lee, Lai)	627
ciation with gluten (HRS, HRW) (Tanaka, Furukawa, Kuroiwa,		SH groups oxidized by bromate dur- ing breadmaking (HRW) (Tsen) SH and SS contents, reactive and	531
Matsumoto)	386	total (HRS, SWW) (Tsen, Bu-	
Carotenoid pigments of; identifica- tion and composition (durum,		shuk)	58
HRS) (Lepage, Sims)	600	Flour improvers Bromate; oxidation of SH groups of	
Carotenoid pigments of; basis for		flour during breadmaking (Tsen)	531
measuring intensity (durum, HRS) (Sims, Lepage)	605	Chlorine; action on flour polysac- charides (Whistler, Pyler)	
Dough and gluten properties in D ₂ O (durum, HRS, WW) (Tkachuk,		Glutathione (Kuninori, Sullivan)	486
Hlynka) Effect of papain on amylograph viscosity (HRS) (Yasunaga, Bu-	80	(Kuninori, Yagi, Yoshino, Matsumoto)	
shuk, Irvine)	260	Fractionation	
Extracts, yeast-fermented; effects on dough mixing vs. thioctic acid	007	Of flour proteins (HRW); continuous, on sand column (Mattern,	210
(HRS, HRW) (Dahle, Pinke)	28/	Salem, Volkmer)	319

Of gliadins, wheat; comparison (Huebner, Rothfus)	Glycogen; helix-to-coil transition at pH 12 (Erlander, Purvinas, Grif- fin)	
Redman, Elton)	Grain; pulses, Indian (including guar), distribution of nutrients in	
parts (Singh, Singh, Sikka) 13	anatomical parts (Singh, Singh, Sikka)	13
Galactose codextrin, starch-; constitu- tion (Fischer, Ghali, Smith) 421	Heat-processing	
Garbanzo peas, starch of; prepn. &	Of millfeeds (wheat); effect on en-	
properties (Schoch, Maywald) 564 Gliadin(s), wheat	ergy value (Bayley, Summers, Slinger)	557
Chromatography on polyacrylamide	Of wheat germ meal; effect on utili-	
gel (Crow, Rothfus) 413	zation and protein quality for	
"Classical"; fractions from gel filtra- tion; effect on, of SS-bond cleav-	growing chicks (Moran, Summers, Bass)	304
age (Nielsen, Beckwith, Wall) 37	Hemicellulose: action of chlorine on	100
Comparison by chromatography,	(Whistler, Pyler) Histochemical characteristics of brown	183
electrophoresis, and composition (Huebner, Rothfus)	rice (Del Rosario, Briones, Vidal,	
Globulin(s)	Juliano)	225
"Fast-moving doublet" of, amino	Hydrogen-ion activity (pH) Extraction of hydrolases from malt	
acid composition (Fisher, Red- man, Elton)	with activity at pH 5 (Ten	
man, Elton)	Hoopen)	19
(Nimmo, O'Sullivan, Bernar-	Transition from helix to coil at pH 12 for amylose, amylopectin, and	
din)	glycogen (Erlander, Purvinas,	
isolation and gel electrophoresis	Griffin)	140
(Puski, Melnychyn) 192	Hydrogen sulfide in dough, released during mixing (Mecham, Bean)	445
molecules of (7S and 11S); inter- nal structure (Fukushima) 203	Hydrolases, see Proteases	
7S protein, chem. & phys. prop-		
erties (Koshiyama) 394	Irradiation, see Radioactivity studies	
7S protein, purification, chro- matographic & sedimentation	Isoenzymes of wheat; investigations	99
behavior (Koshiyama) 405	(Honold, Stahmann)	33
Glucosyltransferase from germinated	Kernel damage, in rice; stress cracks	
barley (Luchsinger, Richards) 115 Glutathione, in flour	vs. environmental conditions	
Enzymatic detn. (Kuninori, Yagi,	(Stermer)	365
Yoshino, Matsumoto) 480		
35-S-labeled; reaction of (Kuninori, Sullivan)	Legumes, starches of; prepn. & prop- erties (Schoch, Maywald)	564
Glutathione in wheat flour (a series)	Lentils	
II (Kuninori, Yagi, Yoshino, Mat-	Nutrients in anatomical parts	10
sumoto)	(Singh, Singh, Sikka)	13
Glutelin, in rice (brown); showing changes in developing and mature	Starch of, prepn. & properties (Schoch, Maywald)	564
grain (Palmiano, Almazan, Juli-	Light transmission thru corn endo-	
ano) 1	sperm; measurement (Paez, Helm, Zuber)	595
Gluten	Lima beans; starch of, prepn. & prop-	
In D ₂ O; properties (Tkachuk, Hlyn- ka)	erties (Schoch, Maywald)	564
Properties; dispersion with synthetic	In flour & semolina; analysis (Ber-	
anionic polymers (Tanaka, Furu- kawa, Kuroiwa, Matsumoto) 386	ry, Youngs, Gilles)	616
Wheat; proteins of, from chroma-	Fractions, polar & nonpolar; effect on pasting of starch (Medcalf,	
tography on polyacrylamide gel	Youngs, Gilles)	88
(Crow, Rothfus) 413	Free and bound; extn. from flour	
Glutenin (wheat); chromatography of (Crow, Rothfus)	(McKillican, Sims, Johnston, Mes)	512
,,, , , , , , , , , , , , , , ,	2-200)	

In pasta products; chemistry of in	instrument for measuring degree	
processing & technology (Fabri-	of milling, and color (Stermer)	
ani, Lintas, Quaglia) 454	Wheat; composition, properties com-	
In spaghetti; solvent extn. vs. cook-	pared between HRS & durum	
ing quality (Dahle, Muenchow) 464	endosperm pentosans (Medcalf,	
Lysine; detn. on automated analyzer	D'Appolonia, Gilles)	539
(Villegas, McDonald, Gilles) 432	Minerals in wheat protein concen-	
,,	trates (Fellers, Shepherd, Bellard,	
Wailland maration on Brauming and	Mossman, Johnston, Wasserman)	520
Maillard reaction, see Browning reac-	Moisture; effect on milling of millfeeds	
	to yield protein concentrates	
Malt, barley; proteases of (endopep- tidases); extn. at pH 5 (Ten	(Fellers, Shepherd, Bellard, Moss-	
Hoopen) 19	man, Johnston, Wasserman)	520
Meal, wheat, see Millfeeds	Molds, see Microorganisms	
Melanins, in barley leaves (Claussen,	Molecular weight of gliadin and glu-	
Pepper) 124	tenin; studies before & after SS-	
Memorial to Clyde H. Bailey(2):iii	bond cleavage (Nielsen, Beck-	
Erratum	with, Wall)	37
Methods	Mung bean	
Detn. of lysine on amino acid an-	Nutrients in anatomical parts	19
alyzer; triplicate samples (Ville-	(Singh, Singh, Sikka)	13
gas, McDonald, Gilles) 432	Starch of; preparation, properties	564
Detn. (enzymatic) of starch in	(Schoch, Maywald)	JUT
wheat fractions; (Donelson, Ya-	Mycotoxins, in oats; factors possibly mistaken for aflatoxins (Shotwell,	
mazaki) 177	Shannon, Goulden, Milburn,	
Microbiological assay of sesame pro-	Hall)	236
tein (Villegas, González, Calde-	11411 /	200
rón) 379	***	
Microorganisms; see also Mycotoxins	Nitrogen, nonprotein; in developing &	
Aspergillus flavus; aflatoxins in rice	mature rice (Palmiano, Almazan,	•
(Schroeder, Boller, Hein) 574	Juliano)	1
(Schroeder, Boller, Hein) 574 "Red Pseudomonas," radiation-re-	Nonfat dry milk; effect on release of H ₂ S from dough (Mecham, Bean)	445
sistant, on rice (Iizuka, Ito) 503	Nutritive value of:	113
Microscopic studies, see Structure,	Bran, gamma-irradiated (Moran,	
microscopic	Summers, Bayley)	469
Milk, dry; nonfat dry; see Nonfat dry	Flour; dietary properties (Wilding,	.00
milk	Alden, Rice)	254
Millfeeds	Millfeeds: effect of heat-processing	
Protein concentrate source (Fellers,	on energy value (Bayley, Sum-	
Shepherd, Bellard, Mossman,	mers, Slinger)	557
Johnston, Wasserman) 520	Oat protein; varietal differences	
Wheat; effect of heat-processing on	(374
energy value (Bayley, Summers,	Pulses (Indian) (Singh, Singh, Sik-	
Slinger) 557	ka)	13
Wheat germ meal; feed efficiency	Soy protein concentrates (Wilding,	054
(Moran, Summers, Bass) 304	Alden, Rice)	234
Wheat meal; starch in, enzymatic	Wheats, high-protein (Mattern, Sa-	427
detn. (Donelson, Yamazaki) 177	lem, Johnson, Schmidt) Nutritive value of oat protein (a se-	131
Milling, experimental	ries)	
Corn; stress crack formation in tem-	I (Hischke, Potter, Graham)	374
pering for dry-milling (de-	1 (Histine, 1 otter, Granam)	
germination) (Brekke) 291		
Durum wheat endosperm; structure	Oats (State 1)	
of pentosan from water-insolu-	Aflatoxins in (possible) (Shotwell,	
ble portion (Medcalf, Gilles) 550	Shannon, Goulden, Milburn, Hall)	236
Of millfeeds to yield protein con-	Protein of, nutritive value; varietal	230
centrate (Fellers, Shepherd,	differences (Hischke, Potter, Gra-	
Bellard, Mossman, Johnston, Wasserman) 520	ham)	374
Rice	Oxidases, isoenzymes of; assays (Hon-	
aflatoxin contamination reduced	old, Stahmann)	99
by procedure (Schroeder, Bol-	Oxidation of flour SH groups by bro-	
ler. Hein) 574	mate during breadmaking (Tsen)	531

Oxidation-reduction enzymes of wheat		In flour; continuous fractionation on	
(a series)	00	sand column (Mattern, Salem,	
IV (Honold, Stahmann)	99	Volkmer) Of gluten; chromatography on poly-	
Papain; effect of, on flour amylograph		acrylamide gel (Crow, Rothfus)	413
viscosity (Yasunaga, Bushuk,		Oats; varietal differences in nutri-	
Irvine)	260	tive value (Hischke, Potter, Gra-	
Pasta products	200	ham)	374
Effects of solvent extraction on		Purothionin, in flour; fractionation	
cooking quality of spaghetti		& characterization (Fisher, Red-	
	464	man, Elton)	48
(Dahle, Muenchow)	404	Quality of, in heat-processed wheat	
Lipids in; chemistry of in processing		germ meal, for growing chicks	
& technology (Fabriani, Lintas,	454	(Moran, Summers, Bass)	304
Quaglia)	454	In rice; physchem. analysis (Pal-	
Pastes, starch; effect of lipid fractions	0.0	miano, Almazan, Juliano)	1
on (Medcalf, Youngs, Gilles)	88	Sesame; microbiological & enzymat-	
Pea(s)		ic evaluation (Villegas, González,	
Nutrients in anatomical parts	10	Calderón)	379
(Singh, Singh, Sikka)	13	7S, in soybeans; chem. & phys.	
Split yellow, starch of; prepn. &	F.C.4	properties (Koshiyama)	394
properties (Schoch, Maywald)	364	7S, in soybeans; purification, chro-	
Pelleting, see Steam-processing		matographic & sedimentation be-	
Pentosans		havior (Koshiyama)	405
Of durum endosperm (water-insolu-		7S & 11S, in soybeans; internal	.00
ble portion); structure (Medcalf,		structure of molecules (Fuku-	
Gilles)	550	shima)	203
Of endosperm; composition & prop-		Soy, concentrates; nutritive value	200
erties, HRS vs. durum wheat		(Wilding, Alden, Rice)	254
(Medcalf, D'Appolonia, Gilles)	539	In spaghetti; solvent extn. vs. cook-	234
Of flour; enzymolysis of (Kulp)	339	ing quality (Dahle, Muenchow)	464
pH, see Hydrogen-ion activity		Of wheats, high-protein; amino acid	101
Phosphorus, in bran, gamma-irradi-		Of wheats, high-protein; anniho acid	
ated; utilization study with chick-		composition (Mattern, Salem,	127
ens (Moran, Summers, Bayley)	469	Johnson, Schmidt) "Protein body particles" of soybeans,	43/
Phytates, in sovbean; removal by gel		Protein body particles of soybeans,	
electrophoresis (Puski, Melny-		tocopherol in; distribution (Ko-	F01
chyn)	192	moda, Matsushita, Harada)	581
Pigments		Protein concentrates by dry milling of	
From barley leaves, chemical nature		wheat millfeeds (a series)	
	124	II (Fellers, Shepherd, Bellard, Mossman, Johnston, Wasserman)	E00
Carotenoid, of flour; see Carotenoids		Mossman, Johnston, Wasserman)	320
Polymers, anionic (synthetic); associa-		Proteolytic enzymes; activity; see Pro-	
tion with gluten (Tanaka, Furu-		teases	
kawa, Kuroiwa, Matsumoto)	386	Pulses, Indian; nutrients in anatomical	40
Polysaccharides		parts (Singh, Singh, Sikka)	13
Amylopectin-xylose codextrin		Purothionin	
(Ghali, Lewis, Smith)	589	In flour; fractionation & character-	
Starch-galactose codextrin (Fischer,	000	ization (Fisher, Redman, Elton)	48
Ghali, Smith)	421	vs. "Globulin" component of flour	
Of flour; action of chlorine on		(Nimmo, O'Sullivan, Bernardin)	28
(Whistler, Pyler)	183		
Prolamin, in rice (brown); showing	105	Radicals, free; formation of, in dough	
changes in developing & mature		during mixing (Dronzek, Bush-	
grain (Palmiano, Almazan, Juli-		uk)	286
	1		400
ano)	1	Radioactive tracers, see Radioactivity	
Protease(s) of barley & malt; extn. of		studies	
hydrolases (endopeptidases) at	10	Radioactivity studies	
pH 5 from malt (Ten Hoopen)	19	Cobalt-60 gamma-irradiation of	
Protein (see also individual proteins)		bran; effect on use by chickens	
In bran, gamma-irradiated; utiliza-		(Moran, Summers, Bayley)	469
tion study with chickens (Moran,		Glutathione-35-S (flour), reaction	
	469		486
Degradation of by papain (Yasuna-		Rice microflora, gamma-irradiated	
ga, Bushuk, Irvine)	260	(Iizuka, Ito)	503

35-S-labeled flour; SS/SH inter-		7S & 11S Protein of; internal struc-	
change in doughs (Lee, Lai)	627	ture of molecules (Fukushima)	302
Starch-14-C, fate during breadmak-	-	Protein concentrates of; nutritive	054
ing (Lee, Liau)	73	value (Wilding, Alden, Rice)	254
Sucrose-14-C, neutral exts. (bread)		Tocopherol in; intracellular distri-	
(Lee, Liau)	66	bution in cotyledons (Komoda,	F01
Ratiospect, rice, for measuring degree	0.00	Matsushita, Harada)	381
of milling & color (Stermer)	358	Spaghetti, see Pasta products	
Rice		Starch	
Aflatoxins in; contamination re-		Corn	
duced by milling procedures		microstructure of granules (Mus-	100
(Schroeder, Boller, Hein)	574	sulman, Wagoner)	162
Amylose of (milled); limitation of		polyelectrolyte behavior of (Er-	
starch-iodine blue test (Juliano,		lander, Purvinas, Griffin)	140
Cartaño, Vidal)	63	Corn, amylopectin fraction	
Brown; properties of protein (Palmi-		amylopectin-xylose codextrin;	
ano, Almazan, Juliano)	1	constitution (Ghali, Lewis,	
Environmental conditions and stress		Smith)	589
cracks in (milled) (Stermer)	365	helix-to-coil transition at pH 12	
Instrument to measure degree of		(Erlander, Purvinas, Griffin)	140
milling and color (Stermer)	358	starch-galactose codextrin; consti-	
Kernel, "white-belly"; structure		tution (Fischer, Ghali, Smith)	421
changes during development (Del		Corn, amylose fraction	
Rosario, Briones, Vidal, Juliano) Protein bodies of (Del Rosario,	225	helix-to-coil transition at pH 12	
Protein bodies of (Del Rosario,		(Erlander, Purvinas, Griffin)	140
Briones, Vidal, Juliano)	225	in rice; limitation of starch-iodine	
Starch; changes in properties during		blue test (Juliano, Cartaño,	
grain development (Briones,		Vidal)	63
Magbanua, Juliano)	351	Damaged in flour by vacuum-drying	
Stored; gamma-irradiation of (Iizu-		& wetting (Williams, Hlynka)	280
ka, Ito)	503	Enzymatic detn. in wheat fractions	
		(Donelson, Yamazaki)	177
Saacharides in broad baked with an		Gelatinization of during bread-bak-	
Saccharides in bread baked with su- crose-14-C (Lee, Liau)	66	ing (Yasunaga, Bushuk, Irvine)	269
	00	Granules of	
Salts; effect on conformation of starch		function in cake structure forma-	
in aqueous solution (Erlander,	140	tion (Howard, Hughes, Stro-	
Purvinas, Griffin)	140	bel)	329
feed in southern alchuling be		(corn) microstructure (Mussul-	
fied) in soybean globulins; be-	405	man, Wagoner)	162
havior (Koshiyama) Semolina	403	Legume; preparation & properties	
		(Schoch, Maywald)	564
Lipids in; chemistry in processing	151	Radioactive (-14-C); fate of, during	
(Fabriani, Lintas, Quaglia) Sterols in (free & esterified); anal-	434	breadmaking (Lee, Liau)	73
ysis (Berry, Youngs, Gilles)	616	Rice; changes in properties during	
Sensory tests see Tasta panel testing	010	development, and degradation	
Sensory tests, see Taste panel testing Sesame protein, microbiological &		of amylopectin fraction during	
enzymatic evaluation (Villegas,		autoclaving (Briones, Mag-	
González, Calderón)	270	banua, Juliano)	351
	313	Wheat	
Solvents		amylose fraction; in spaghetti	
For flour pigment extn. (Sims, Le-		cooking water after solvent	
page)	605	extn. (Dahle, Muenchow)	464
For lipid extn. from flour (McKilli-		effect of lipid fractions on past-	
can, Sims, Johnston, Mes)	512	ing (Medcalf, Youngs, Gilles)	88
Soybean(s)		Starch-iodine blue test; limitation of,	
Globulins of; isolation and gel elec-		for milled-rice amylose (Juliano,	
trophoresis (Puski, Melny-		Cartaño, Vidal)	63
chyn)	192	Steam-processing	
7S Protein of		Of corn, wheat shorts, bran; effect	
chem. & phys. properties (Koshi-		of method on energy use (Sum-	
yama)	394	mers, Bentley, Slinger)	612
purification, chromatographic &		Of millfeeds (wheat); effect on en-	
sedimentation behavior (Koshi-	40-	ergy value (Bayley, Summers,	
yama)	405	Slinger)	557

Sterols, free and esterified, in flour and semolina; analysis (Berry, Youngs, Gilles)	Tocopherol, in soybeans; intracellular distribution in cotyledons (Ko- moda, Matsushita, Harada)	
Storage study, with rice, effect of gamma-irradiation on microflora	Transglycosylation; constitution of amylopectin-xylose codextrin	
(Iizuka, Ito)	(Ghali, Lewis, Smith)	589
Stress cracks		
In corn; formation during temper-	Varietal studies	
ing for dry-milling (degermina-	Oats; nutritive value of protein	
tion) (Brekke)		
In milled rice; environmental condi-	(Histlike, Totter, Granam)	
	Wheat; falling number values of	
Structure of cake (layer); function of	flour; variations (Medcalf, Tom-	
starch granule in formation	betta, Gilles, Sibbitt)	
starch granule in formation (Howard, Hughes, Strobel)	Wheat; gliadin proteins from	
Structure, internal, of 7S & 11S globu-		242
lin molecules (Fukushima)	Viscosity of gliadin ("classical," puri-	
Structure, microscopic	ned), and low-motwt. glutenin	
Of corn starch granules (Mussul-	(Nielsen, Beckwith, Wall)	
man, Wagoner)	Vitamins in wheat protein concen-	
Electron; of flours and doughs	trates (Feliers, Shepherd, Bellard,	
(Aranyi, Hawrylewicz)	Mossman, Johnston, Wasserman)	520
Of rice endosperm (Del Rosario,	,00	
Briones, Vidal, Juliano)	25 Wheets alone or alones if given in	
Studies with radioactive tracers (a se-		
ries)	parentheses after item	
XII (Lee, Liau)	Amino acid composition (high-pro-	
XIII (Lee, Liau)	To telli (lilett, biett) (lilettelli,	
XIV (Lee, Lai)	baren, Johnson, Schmidt,	
Sucrose-14-C, in bread; study of neu-		
	from water-insoluble portion	
tral extracts (Lee, Liau)	66 (durum) (Medcalf, Gilles)	55 0
Sugars; recovery by GLC (Cayle, Vie-	Gliadins of (11 varieties); compari-	040
	son (Huebner, Rothfus)	
Sulfhydryl compounds; glutathione, in	Gluten proteins; chromatography	
flour; enzymatic detn. (Kuninori,	(HRW) (Crow, Rothfus)	413
Yagi, Yoshino, Matsumoto) 4		00
Sulfhydryl (and disulfide) contents of	(Honold, Stahmann)	99
flours (Tsen, Bushuk)	Lipids of; chemistry in pasta proc-	
Sulfhydryl-disulfide exchange	essing (Fabriani, Lintas, Quag-	
In doughs; 35-S-labeled flour (Lee,	lia)	454
Lai) (Millfeeds, see main entry	
In flour; glutathione reaction	Oxidation-reduction enzymes of, as-	
(Kuninori, Sullivan) 4	says (HRS, HRW) (Honold,	
	Stahmann)	99
Sulfhydryl groups of flour; oxidized by	Pentosans of (endosperm); composi-	
bromate during breadmaking	tion & properties compared	
(Tsen) 5	,, ,, , ,,	
Sulfide, in dough; released during mix-	D'Appolonia, Gilles)	539
ing (Mecham, Bean) 4	Quality of; assessment with bread	
	(HRW) (Matthews, Fifield,	
Taste panel testing; bread (home &	Hartsing)	133
lab. types), for wheat quality	Shorts; energy (metabolizable) from	
assessment (Matthews, Fifield,	& effect of steam-processing on	
Hartsing) 1	use (Summers, Bentley, Slinger)	612
Temperature; effect on H ₂ S release	Staren in, enzymatic detn. (durum,	
	hard, soft) (Donelson, Yama-	
from dough (Mecham, Bean) 4		177
Tempering of corn, for dry-milling;	Wheat germ meal, see Millfeeds	
formation of stress cracks (Brek-	Wheat starches (a series)	00
ke) 2	91 II (Medcalf, Youngs, Gilles)	88

